

**EVALUATION TOOL
 SUPPLY AND DELIVERY OF STRUCTURAL FIREFIGHTING
 PERSONAL PROTECTIVE EQUIPMENT
 SPECIFICATION AND REQUIREMENT CHECKLIST**

Section A

The following section confirms RFQ requirements and the Vendor must specify where in quote the applicable information and details may be found.

SPECIFICATION/REQUIREMENT	YES	NO	DETAILS
Minimum Thermal Protective Performance (TPP) of 40	Value		
Minimum Total Heat Loss (THL) of 280.	Value		
Vendor provided material specifications including weights for each component quoted in their bunker gear. (Vendor to specify where information is found in Quote)			

Vendors bid will not be accepted if TPP and THL values are lower than those specified in the RFQ

Section B

The following section confirms RFQ requirements and the Vendor must specify where in quote the applicable information and details may be found.

SPECIFICATION/REQUIREMENT	YES	NO	DETAILS
Verification – Vendor to specify that they meet the spec and where in the quote the information can be found			
Seamless crotch design			
Pleated forward expanded Knee			
High shoulder design to limit coat rise			
Vendor provided specific details regarding the ergonomic design of their bunker gear			
NFPA Standard Pattern Option: NEW YORK STYLE			
Pant Trim: as specified in RFQ			
Reflective Numbering: as specified in RFQ			

**EVALUATION TOOL
 SUPPLY AND DELIVERY OF STRUCTURAL FIREFIGHTING
 PERSONAL PROTECTIVE EQUIPMENT
 SPECIFICATION AND REQUIREMENT CHECKLIST**

SPECIFICATION/REQUIREMENT	YES	NO	DETAILS
Hardware: as specified in RFQ			
Removability of Liner Fabrics: as specified in RFQ			
Stitching: Double-Lock stitch sewing shall be used throughout the suit's outer shell.			
Labelling: As specified in RFQ			
Sizing and Measurements: Completed On site			
Collar: The collar shall include a seamless collar design that is NFPA compliant.			
Elbow Padding: As specified in RFQ			
Wristlet: As specified in RFQ			
Zipper Closure: As specified in RFQ			
Storm Flap: As specified in RFQ			
Coat Pockets: A separate hand warmer pocket compartment will be provided under or behind the expandable cargo pocket.			

**EVALUATION TOOL
 SUPPLY AND DELIVERY OF STRUCTURAL FIREFIGHTING
 PERSONAL PROTECTIVE EQUIPMENT
 SPECIFICATION AND REQUIREMENT CHECKLIST**

SPECIFICATION/REQUIREMENT	YES	NO	DETAILS
Radio Pocket: As specified in RFQ			
Microphone Loops: As specified in RFQ			
Snap Hook: As specified in RFQ			
Flashlight Holder: As specified in RFQ			
Reflective Lettering Patch: As specified in RFQ			
Removable Identification Patch with Reflective Numbering: As specified in RFQ			
Flag: As specified in RFQ			
Liner Attachment System: Vendor to specify their best design and provide details.			
Waist Adjustment: As specified in RFQ			
Suspenders: As specified in RFQ			
External and Internal Fly Flap: As specified in RFQ			
Trouser Closure System: As specified in RFQ			
Full-Bellow Pockets: As specified in RFQ			
Tool Key Snap Hook: As specified in RFQ			
Knee Reinforcement: As specified in RFQ			
Flex Knee System: As specified in RFQ			
MMFD USE ONLY: Vendor provided the applicable information with necessary details.			

*RFQ requirements beyond those listed for review shall still apply at the time of purchase.

**EVALUATION TOOL
SUPPLY AND DELIVERY OF STRUCTURAL FIREFIGHTING
PERSONAL PROTECTIVE EQUIPMENT
SPECIFICATION AND REQUIREMENT CHECKLIST**

NEW - Evaluation Criteria

Quotations will be evaluated using the following weighted criteria:

Criteria	Value
Confirmation of Technical Review	30
Price	60
Document completion and confirmation of onsite measurements	10
Total	100